

INDUSTRIAL SPECIFICATIONS

Flame Projection: >18"; no flashback
Dielectric Breakdown: 47,400 volts
 Tested on Polyethylene, Polycarbonate, Noryl®, ABS-T and ABS-SB4500 plastics with no damage.
 May cause staining (darkening) of asphalt surfaces and shingles.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame.
PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: DO NOT puncture or incinerate! Empty container by using the product in accordance with the label directions. **If empty:** Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. **If partly full:** Contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.
 Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS813

PT and Wasp-Freeze are registered trademarks of BASF.

© 2014 BASF Corporation
 All rights reserved.
 81078917
 NVA 2018-05-463-0279
 Based on: NVA 2013-04-463-0323
 Supersedes: 130805-21



PT® Wasp-Freeze® II

Wasp & Hornet Insecticide

KILLS ON CONTACT FROM 15 FEET AWAY

USE OUTDOORS AND IN ATTICS & CRAWL SPACES ONLY

KILLS: Bees, Hornets, Yellowjackets, Spiders and Wasps

ACTIVE INGREDIENT:
 Prallethrin [(RS)-2-Methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl-(1RS)-cis, trans-chrysanthemate] 0.1%
OTHER INGREDIENTS*: 99.9%
TOTAL: 100.0%
 * Contains Petroleum Distillate

EPA Reg. No. 499-550 EPA Est. No. 33595-MO-4

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

FIRST AID	
If in eyes	<ul style="list-style-type: none"> Hold eyes open and rinse slowly and gently with water for 15 to 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 min. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give any liquid to the person. DO NOT give anything by mouth to an unconscious person.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-832-HELP (4357) for emergency medical treatment information.	
NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

See side panels for **Precautionary Statements, Directions for Use** and **Storage and Disposal**.

NET CONTENTS: 1 pound, 1.5 ounces (17.5 oz)

Product of Japan. Formulated in the US with foreign and domestic materials.

Produced for:
 BASF Corporation
 26 Davis Drive
 Research Triangle Park, NC 27709

We create chemistry

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and laundry before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to bees exposed to direct treatment on blooming crops or weeds. **DO NOT** apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DO NOT apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. **DO NOT** contaminate water by cleaning of equipment or disposal of equipment wash waters.

PHYSICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.


READ ALL DIRECTIONS COMPLETELY BEFORE USE.

USE RESTRICTIONS

- Use outdoors and in attics and crawl spaces only.
- When using in an attic, **DO NOT** contaminate stored items, HVAC systems, water heaters or other non-structural items.

APPLICATION INSTRUCTIONS

For optimum performance in overhead treatments, align the actuator opening with the mark on valve cup. When treating in a downward direction, align the actuator opening directly opposite the mark on valve cup.



WASPS AND HORNETS: Hold container in upright position. Stand a safe distance, 6 to 15 ft from the nest, and not directly underneath. Align actuator opening with the mark on the valve cup. Aim the actuator opening toward the nest with the wind at your back. Treat the nest until thoroughly wet. Contact wasps and hornets on the nest with spray when possible. The best time of day to treat is in evening or early morning, since wasps and hornets congregate on or in the nest at night.

YELLOWJACKETS AND BEES: Locate nest. Align actuator opening directly opposite the mark on the valve cup. Press down on the actuator and apply, using a sweeping motion, contacting any stimulated or stirred-up yellowjackets and bees around the nest opening. Then move forward to the nest opening and apply for 6 to 8 sec directly into the nest hole.

SPIDERS (including Black Widow and Brown Recluse): Apply directly to spiders and/or webbing. Before applying, consider the surfaces for potential staining or residue that spray may contact.