

Revision date : 2021/10/26 Version: 7.0

Page: 1/12 (30628550/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT Alpine Flea & Bed Bug Pressurized Insecticide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 463659 EPA Registration number: 499-540 Synonyms: Pyriproxyfen + Prallethrin + Dinotefuran

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

| Muta. | 1B | Germ cell mutagenicity |
|-----------------|----|--|
| Carc. | 1A | Carcinogenicity |
| Aquatic Acute | 3 | Hazardous to the aquatic environment - acute |
| Aquatic Chronic | 3 | Hazardous to the aquatic environment - chronic |
| Flam. Aerosol | 1 | Flammable aerosols |

Revision date : 2021/10/26 Version: 7.0

Page: 2/12 (30628550/SDS CPA US/EN)

Label elements



Signal Word:

| Danger | |
|--------------------------------|--|
| Hazard Statement: | |
| H222 | Extremely flammable aerosol. |
| H350 | May cause cancer. |
| H340 | May cause genetic defects. |
| H402 | Harmful to aquatic life. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Precautionary Statemen | ts (Prevention): |
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P273 | Avoid release to the environment. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| Precautionary Statemen | ts (Response): |
| P308 + P313 | IF exposed or concerned: Get medical attention. |
| Precautionary Statemen P405 | Store locked up. |
| P410 + P412 | Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F. |
| | |

Precautionary Statements (Disposal): P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Dinotefuran technical CAS Number: 165252-70-0 Content (W/W): 0.25 % Synonym: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

Pyriproxyfen

CAS Number: 95737-68-1 Content (W/W): 0.1 % Synonym: Pyriproxyfen

Revision date : 2021/10/26 Version: 7.0 Page: 3/12 (30628550/SDS CPA US/EN)

Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methyl-1-propen-1-yl)-, 2-methyl-4-oxo-3-(2-propyn-1-yl)-2-cyclopenten-1-yl ester CAS Number: 23031-36-9 Content (W/W): 0.05 % Synonym: Prallethrin 90 %

Petroleum gases, liquefied, sweetened CAS Number: 68476-86-8 Content (W/W): 10.0 - 15.0% Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Revision date : 2021/10/26

Version: 7.0

Page: 4/12 (30628550/SDS_CPA_US/EN)

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, toxic gases/vapours Aerosol container contains flammable gas under pressure. Pressure inside container is increased when heated, and may cause explosion. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Revision date : 2021/10/26 Version: 7.0 Page: 5/12 (30628550/SDS CPA US/EN)

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame. Store protected against freezing.

Storage stability: May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet. Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No substance specific occupational exposure limits known.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Form: liquid Odour: characteristic

Revision date : 2021/10/26 Version: 7.0

Page: 6/12 (30628550/SDS_CPA_US/EN)

| r | sion: 7.0 | (30628550/SDS_CPA_US/EI |
|---|----------------------------------|--|
| | Odour threshold: Colour: | Not determined due to potential health hazard by inhalation. |
| | pH value: | opaque approx. 5.0 - 7.0 |
| | Molting point: | (22.9 °C) The product has not been tested |
| | Melting point: Boiling point: | The product has not been tested. The product has not been tested. |
| | Flash point: | Non-flammable. Flame Projection: < |
| | Flash point. | 18" |
| | Flammability: | Extremely flammable. |
| | NFPA 30B flammability: | Level 1 Aerosol |
| | Lower explosion limit: | As a result of our experience with this |
| | | product and our knowledge of its |
| | | composition we do not expect any |
| | | hazard as long as the product is used |
| | | appropriately and in accordance with |
| | | the intended use. |
| | Upper explosion limit: | As a result of our experience with this |
| | | product and our knowledge of its |
| | | composition we do not expect any |
| | | hazard as long as the product is used |
| | | appropriately and in accordance with |
| | | the intended use. |
| | Autoignition: | Based on the water content the |
| | | product does not ignite. |
| | Vapour pressure: | approx. 4,826 hPa |
| | | (21.11 °C) |
| | Density | Information applies to the propellant. |
| | Density: | approx. 0.97 g/cm3 |
| | Vanaur danaituu | (20 °C) |
| | Vapour density: | not applicable |
| | Partitioning coefficient n- | The statements are based on the |
| | octanol/water (log Pow): | properties of the individual |
| | Information on: Dinotefuran t | components. |
| | Partitioning coefficient n- | -0.549 |
| | octanol/water (log Pow): | (25 °C) |
| | | (20 0) |
| | Thermal decomposition: | carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen |
| | | oxide |
| | | Stable at ambient temperature. If product is heated above |
| | | decomposition temperature toxic vapours may be released. To |
| | | avoid thermal decomposition, do not overheat. |
| | Viscosity, dynamic: | approx. 491 mPa.s |
| | | (21.6 °C) |
| | Evaporation rate: | not applicable |
| | Other Information: | If necessary, information on other physical and chemical |
| | | parameters is indicated in this section. |
| | | |

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Oxidizing properties:

Revision date : 2021/10/26

Version: 7.0

Page: 7/12 (30628550/SDS CPA US/EN)

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after short-term skin contact. Moderately toxic after single ingestion. Moderately toxic after short-term inhalation.

<u>Oral</u> Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg

Inhalation Type of value: LC50 Species: rat (male/female) Value: > 2.08 mg/l Exposure time: 4 h No mortality was observed.

<u>Dermal</u> Type of value: LD50 Species: rat (male/female)

Revision date : 2021/10/26 Version: 7.0 Page: 8/12 (30628550/SDS CPA US/EN)

Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause moderate but temporary irritation to the eyes.

Skin contact causes slight irritation. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Skin</u> Species: rabbit Result: moderately irritating

Eye Species: rabbit Result: non-irritant

Sensitization Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test Species: guinea pig Result: Skin sensitizing effects were not observed in animal studies.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Other Information

Revision date : 2021/10/26 Version: 7.0 Page: 9/12 (30628550/SDS CPA US/EN)

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Toxic to aquatic life. Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-LC50 (96 h) > 0.270 mg/l, Lepomis macrochirus

Information on: Dinotefuran technical LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss LC50 (96 h) > 100 mg/l, Cyprinus carpio

Information on: Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methyl-1-propen-1-yl)-, 2-methyl-4oxo-3-(2-propyn-1-yl)-2-cyclopenten-1-yl ester LC50 (96 h) 0.012 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-LC50 (48 h) 0.4 mg/l, Daphnia magna (Flow through.)

Information on: Dinotefuran technical EC50 (48 h) > 1,000 mg/l, Daphnia magna EC50 (96 h) 0.79 mg/l, Mysidopsis bahia

Information on: Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methyl-1-propen-1-yl)-, 2-methyl-4oxo-3-(2-propyn-1-yl)-2-cyclopenten-1-yl ester EC50 (48 h) 0.0062 mg/l, daphnia

Aquatic plants

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-EC50 (72 h) 0.15 mg/l, Pseudokirchneriella subcapitata No observed effect concentration (7 d) 0.05 mg/l, Pseudokirchneriella subcapitata

Information on: Dinotefuran technical EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata

Information on: Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methyl-1-propen-1-yl)-, 2-methyl-4oxo-3-(2-propyn-1-yl)-2-cyclopenten-1-yl ester EC50 (72 h) 2.0 mg/l, algae

Persistence and degradability

Revision date : 2021/10/26 Version: 7.0 Page: 10/12 (30628550/SDS CPA US/EN)

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Dinotefuran technical

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Bioconcentration factor: 1,379 - 1,495 (28 d), Lepomis macrochirus Significant accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Dinotefuran technical

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Revision date : 2021/10/26 Version: 7.0

Page: 11/12 (30628550/SDS CPA US/EN)

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

| Land transport USDOT | |
|--|---|
| Hazard class: ID number: Hazard label: Proper shipping name: | 2.1 UN 1950 2.1, EHSM AEROSOLS |
| Sea transport IMDG | |
| Hazard class: ID number: Hazard label: Marine pollutant: Proper shipping name: | 2.1 UN 1950 2.1, EHSM YES AEROSOLS (contains PETROLEUM GASES, LIQUEFIED, SWEETENED, DINOTEFURAN) |

Air transport

| IAT | A/I | CAO | |
|-----|-----|-----|--|
| | | | |

| Hazard class: | 2.1 |
|-----------------------|---------------------|
| ID number: | UN 1950 |
| Hazard label: | 2.1 |
| Proper shipping name: | AEROSOLS, FLAMMABLE |

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status: Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

| State regulations | | |
|-------------------|------------|---|
| State RTK | CAS Number | Chemical name |
| PA | 64742-47-8 | Distillates (petroleum), hydrotreated light |
| NJ | 64742-47-8 | Distillates (petroleum), hydrotreated light |

Revision date : 2021/10/26 Version: 7.0 Page: 12/12 (30628550/SDS CPA US/EN)

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label. CAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid contact with the skin, eyes and clothing.

Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling. Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2021/10/26

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET