

# SureKill<sup>®</sup>

## SK300

For Indoor Use in Restaurants, Food Processing Plants, Warehouses and Other Industrial Installations

- Dual Synergists
- Effective and Fast-Acting
- Provides Flushing Action and Quick Knockdown for Indoor Use as ULV, Space, Area, or Contact Spray.

Active Ingredients:	
Pyrethrins**	3.0%
Piperonyl Butoxide**	6.0%
N-Octyl Dicyclohexane Dicarboximide***	10.0%
Other Ingredients****	81.0%
Total	100.0%

\*One gallon contains 0.21 pounds Pyrethrins

\*\*Bifenthrin/((S)-prallethrin/pyrethrin) ether and related compounds

\*\*\*MCK-264 Insecticide Synergist

\*\*\*\*Contains Petroleum Distillates

EPA Reg. No. 47000-178

EPA Est. No. 47000-1A-01



Net Contents:  
55 gallons

FIRST AID HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
<b>If on Skin or on Clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor immediately for treatment advice.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>Note to Physician:</b> Contains petroleum distillates. Vomiting may cause aspiration pneumonia.</p>	
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For 24-hour emergency information on this product, call 1-800-4-A-SEAL (USA &amp; Canada) or 1-603-523-0316 (all other areas).</p>	

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Contains petroleum distillates. Avoid absorption through the skin. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Hypersensitive fragrance registered substances may cause allergic reactions in some individuals. Avoid medical attention if asthma persists. Avoid consumption of food or feedstuffs.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Masks, hood, aprons, and other headwear must wear the following:

- Long-sleeved shirt.
- Long pants.
- Closed-toe shoes.
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or Viton.

In addition to the above PPE, applicators using a high-pressure hand wand in an enclosed area must wear at least a half face, NIOSH-approved respirator with:

- Any R or P filter with a NIOSH approval number prefix TC-844.
- In addition to the PPE, applicators using hand-held equipment in an enclosed area must wear a half-face (with goggles), full-face, or hood-style NIOSH-approved respirator with:
  - A NIOSH-approved gas/vapor cartridge with any R or P filter with a NIOSH approval number prefix TC-844.
  - A NIOSH-approved canister for pesticides with NIOSH approval number prefix TC-14C.
  - A NIOSH-approved pressure/vapor cartridge with any P filter with a NIOSH approval number prefix TC-21C.

#### USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for disinfectant/sterilizing PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

#### User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

#### ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions, use restrictions, and precautions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your state or tribe, consult the State or Tribal Agency responsible for pesticide regulation.

#### USE RESTRICTIONS

- **FOR INDOOR USE ONLY**
- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- This product is not for use in indoor residential areas, outdoor residential mixing systems (indoor or outdoor), metered release misting systems, or indoor agricultural premises and commercial animal housing misting systems.
- In health care facilities, remove patients prior to treatment and thoroughly ventilate treated area for at least 2 hours before returning patients.
- Do not use this product directly on domestic (companion) animals (dogs, cats, puppies, or kittens).
- Direct application to food contact surfaces is prohibited.
- Do not make applications during rain.
- Do not wet articles to the point of run-off or drip. Do not use treated article until the spray has dried.
- Do not enter or allow others to enter until sprays have dried.
- Do not allow adults, children, or pets to enter the treated area for at least 15 minutes, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- Do not use in aircraft cabins.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and mists have dispersed.
- When used in indoor food handling/processing facilities: Do not make space spray applications when facility is in operation. Prior to space spray applications, cover or remove food. Prior to space spray applications, cover food processing surfaces or clean after treatment and before use. Do not apply more than 1 time per day.
- When used in dairy barns or facilities: Close milk bulk tanks lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application.
- Wash tanks of animals before milking.
- Application of this product is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow this product to enter any drain during or after application.
- Remove pets and birds and cover fish aquariums and ornamental fish ponds before spraying and turn aquarium systems off prior to use.

#### General:

This concentrate is designed for use undiluted in mechanical sprayers that give particles of aerosol size. It can be diluted with refined kerosene, which meet Food Additive Regulations as defined by CFR Title 21, § 172.864, and applied in fogging equipment that gives larger than aerosol particle size. It can also be diluted with the oil specified above and applied as a contact spray to kill crawling insects listed on this label.

#### INDOOR AREAS

For Use in and Around the Following Areas:

Animal areas and quarters, Animal Shelters, Animal Control Centers, Apartments, Arcades, Atrium, Auditoriums, Bakeries, Beverage Plants, Bars, Basements, Bathrooms, Boats, Bowling alleys, Breweries, Brewery Warehouses, Buildings, Buses, Cabins, Cabotons, Cabotines, Camps, Carports, Churches, City Missions, Clinics, Tents, Clinics, Club Houses, Commercial Buildings, Communication Centers, Condominiums, Concession Stands, Court Houses, Crawl Spaces, Crematoriums, Day Care Centers, Delicatessens, Department Stores, Diners, Dog Houses, Drug Stores, Dumpyards, Dwellings, Egg Processing Plants, Factories, False Ceilings, Freight Containers, Fruit Packing Sheds, Funeral Parlors, Garage Bays, Grain Mills, Greenhouses, Grocery Stores, Homes, Horse Stables & Barns, Horse Trainers, Hospitals, Hospitals, Hotels, Indoor Eating Establishments, Industrial Installations, Institutional Dining Areas, Institutions, Jails, Kitchens, Laboratories, Landmarks, Landfills, Libraries, Lobbies, Lumber Storage, Locker Rooms, Museums, Meat Packing Plants, Movie Halls, Mine Shafts, Mobile Homes, Mobile Homes, Mosques, Mortuaries, Mosks, Movie Theaters, Museums, Nursing Homes, Office Buildings, Other Public Buildings, Parking Garages, Pool Halls, Prisons,

DIRECTIONS FOR USE, Continued on back

Public Storage, Railroad Cars, Recreational Vehicles, Research Animal Quarters, Restaurants, Retail Stores, Rice Mills, Schools, Ships, Ship Halls, Smoke Shops, Sports Dockyards, Stables, Storage Bins (grass), Stored Food in Multi-Walled Bags or Cloth Bags, Stores, Supermarkets, Theaters, Tackle Mills and Warehouses, Theaters, Tobacco Factories, Tobacco Warehouses, Tool Sheds, Trains, Transportation Equipment, Trucks, Truck Trailers, Tunnels, Utilities, Utility Rooms, Vending Machines, Veterinary Hospitals, Mail and Equipment Vans, Warehouses, Waterways, Wholesale Stores, Wine Cellars, and Zoo.

#### FOR THE CONTROL OF LISTED PESTS

##### Including:

**Almond Moths, Argemone Grain Moths, Ants, Black Flies, Box Elder Bugs, Brown Dog Ticks, Caddis, Carpet Beetles, Central Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches, Coffee Bean Weevils, Confused Flour Beetles, Cuckles, Dark Mealworms, Dandruff Beetles, Deer Flies, Dermestid Beetles, Dried Fruit Beetles, Dugout Beetles, Earwigs, Fire Flies, Fleas, Fleas, Fleas, Fruit Flies, Grain Mites, Grassy Weevils, Horn Flies, Harlequin Beetles, Indian Meal Moths, Khapra Beetles, Lesser Grain Borers, Mediterranean Flour Moths, Merchant Grain Beetles, Midges, Miller Moths, Millipedes, Mosquitoes, Flying Moths, Polioleto Bugs, Pillbugs, Red Flour Beetles, Rice Flour Beetles, Rusty Grain Beetles, Saw-Toothed Grain Beetles, Silverfish, Skipper Flies, Spiders, Spider Beetles, Stable Flies, Sawflies, Ticks that may carry and transmit Lyme Disease, Tobacco Mites, Warehouse Beetles, Wasps, Waterbury, Yellow Jackets, and Yellow Mealworms.**

##### INDOOR USE – UNLULATED

##### LVJ and Space Spray:

Use in animal quarters to kill exposed accessible stages of flies (including Fruit Flies), Mosquitoes, Small Flying Moths, Gnats, Wasp, Hornets, Clover Mites, Cheese Mites, Cheese Skippers, Box Elder Bugs, Earwigs, Ants, and the following common Stored Product Pests: Grassy Weevils, Rice Weevils, Confused Flour Beetles, Saw-Toothed Grain Beetles, Spiders, Beetles, Argemone Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Tobacco Mites, Yellow Mealworms, Dark Mealworms, Grain Mites, Caddis, and Red Flour Beetles. Remove or cover exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilation equipment. Apply at a rate of 1 fluid ounce undiluted concentrate per 1,000 cubic feet (1.04 million) of space. Direct spray toward upper corners of room and ceiling. Leave room closed for 1/2 hour and ventilate thoroughly before re-entry. Do not apply this undiluted spray in residential areas of facilities operating under Federal Meat, Poultry, Shell Gearing, and Egg Products Inspection Programs.

##### Contact and Space Spray:

To Kill Cockroaches, Waterbury, Earwig, Silverfish, Ants, and Spiders:

Using no more than 2 fluid ounces per 1,000 square feet, direct the spray first into all cracks and crevices, behind all equipment, cupboards, obstructions or back hangings areas, walls, floors, underneath seats, behind pipes, and in all places that harbor insects to provide penetration and improvement on the insects. Contact as many insects as possible. Do not allow spray to contact food. Then treat as a space spray. Apply at the rate of 1 fluid ounce per 1,000 cubic feet (1.04 million) of space. Leave room closed for 1/2 hour and ventilate thoroughly before re-entry. Do not apply this undiluted spray in residential areas of facilities operating under Federal Meat, Poultry, Shell Gearing, and Egg Products Inspection Programs.

Note: There is a need to treat such areas as conduits, motor housing, junction and switch boxes, or other electrical equipment, turn off electrical equipment prior to application. After application, allow time for oil to dissipate before starting motor or placing switches in "ON" position.

##### Undiluted in Animal Quarters:

To Kill Flies, Mosquitoes, Small Flying Moths, and Gnats:

Close room and shut off all air conditioning or ventilation equipment. Apply at a rate of 1 pint of undiluted concentrate per 1,000 cubic feet of space. Direct output from animal generator upward toward upper corners of room and ceiling. Do not remain in treated area. Exit treat area immediately, and leave room closed for best one-half hour (30 minutes). Thoroughly ventilate the treated area before re-occupancy.

##### Treatment of Stored Food Areas (foods in Multi-Walled Bags, Cloth Bags, Other Packaging Stored in Listed Areas)

To Kill Accessible Stages of Almond Moths, Argemone Grain Moths, Ants, Caddis, Central Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Cuckles, Dark Mealworms, Dried Fruit Beetles, Dugout Beetles, Earwig, Fireflies, Fleas, Fruit Flies, Grassy Weevils, Grain Mites, Grassy Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Saw-Toothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles, and other listed insects:

Insected stored products should be destroyed, fumigated, or treated by other effective methods using an approved product intended for this purpose. As noted above, using no more than 2 fluid ounces per 1,000 square feet, disperse first by directing spray into cracks and crevices, corners, pallets, and around stacks of packaged goods, hitting as many insects as possible, and then apply as a space spray at a dosage of 1/2 fluid ounce per 1,000 cubic feet (0.52 million) of room space. Do not remain in treated area and ventilate before re-entry.

##### Do Not Apply: Nuts, Beans (including Corned), Seeds, and Oats in Bags or Other Packages:

For Control of Accessible Stages of Almond Moths, Argemone Grain Moths, Ants, Caddis, Central Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Cuckles, Dark Mealworms, Dried Fruit Beetles, Dugout Beetles, Earwig, Fireflies, Fleas, Fruit Flies, Grassy Weevils, Grain Mites, Grassy Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Saw-Toothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles, and other listed insects:

Apply to the surface of stored or bagged products using no more than 2 fluid ounces per 1,000 square feet. Also spray walls, floors, other surfaces, and storage and handling areas thoroughly, being especially careful to treat cracks, crevices, and similar hiding places. Then apply as a space spray at a rate of 1 fluid ounce per 1,000 cubic feet (0.52 million) of room space by directing the spray toward the ceiling and upper corners of the area and behind any obstruction.

##### Khapra Beetles, and other listed insects:

Apply to the surface of stored or bagged products using no more than 2 fluid ounces per 1,000 square feet. Also spray walls, floors, other surfaces, and storage and handling areas thoroughly, being especially careful to treat cracks, crevices, and similar hiding places. Then apply as a space spray at a rate of 1 fluid ounce per 1,000 cubic feet (0.52 million) of room space by directing the spray toward the ceiling and upper corners of the area and behind any obstruction.

##### Contact and Space Spray – Unlabeled Food Spray:

##### To Kill Cockroaches:

Using no more than 10 fluid ounces per 1,000 square feet in an appropriate LVJ spraying device, inject the aerosol spray directly into cracks and crevices to completely fill walls, equipment, and other small structural voids. Leave room ventilation or air conditioning equipment on during application.

##### INDOOR USE – DILUTED

##### Space Spray:

For control of mechanical flagging, thermal flagging, or spraying equipment to control accessible stages of Almond Moths, Argemone Grain Moths, Ants, Caddis, Central Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Cuckles, Dark Mealworms, Dugout Beetles, Earwig, Fireflies, Fleas, Fruit Flies, Grassy Weevils, Grain Mites, Grassy Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, and Khapra Beetles. Remove or cover exposed food and cover food handling surfaces in entire product area in food handling establishments. Close rooms and shut off air conditioning or ventilation equipment. Dilute concentrate with a volume equal to concentrate to **1 gallon (128 fl. oz.) 1/21 (1/21) dilution** or an additional light colorable hydrocarbon conforming to CFR Title 21, § 171.1112 at the rate of 1 part concentrate to 2 parts of diluent mix well. Apply at 1/2 fluid ounce of concentrate per 1,000 cubic feet (1.04 million) of space. In the room with insect. Vacuum treated area and application will be re-entry.

##### Diluted for Outdoor Mechanical Fogging Equipment:

To Kill Flies, Mosquitoes, Small Flying Moths, and Gnats: Close room and shut off all air conditioning or ventilation equipment. Dilute concentrate with oil at the rate of 1 part concentrate to 2 parts of oil and mix well. Apply a rate of 1 fluid ounce of concentrate per 1,000 cubic feet of space. Direct spray toward upper corners of room and ceiling area. Do not remain in treated area. Exit treated area immediately and leave room closed for 1/2 hour (30 minutes). Thoroughly ventilate the treated area before re-occupancy.

##### Contact Spray:

To control accessible stages of Ants, Dugout Beetles, Earwig, Cockroaches, Silverfish, Beetles, Box Elder Bugs, Cheese Mites, Cuckles, and other listed insects: Dilute 2 fluid ounces of concentrate in 1 gallon of suitable diluent, mix well, and apply as a contact wetting spray using approximately 1 gallon of spray mixture per 1,000 square feet (40 million) of surface. Exercise maximum control of insect crawling insects, spray thoroughly into all cracks, moldings, crevices, walls, floors, and other hiding places, wall hangings and landing areas. Contact application should be paid to areas where moisture collects, such as drains, sink and water pipes, and around the bases of heavy machinery and equipment, contacting as many insects as possible.

##### Ants:

Spray directly into walls, along trails, and directly on all ants observed. Repeat as necessary.

##### Contact Surface Spray:

Diluted to use with sprayers that give large wetting spray patterns. To Kill Cockroaches, accessible stages of grassy weevils, such as Confused Flour Beetles, Grain Mites, Grassy Weevils, Hide Beetles, Indian Meal Moths, Lesser Grain Moths, and Lesser Grain Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Saw-Toothed Grain Beetles, and other listed insects. Dilute concentrate with oil at the rate of 2 fluid ounces of concentrate in 1 gallon of suitable diluent. Mix well, and apply as a contact wetting spray using approximately 1 gallon of spray mixture per 1,000 square feet (40 million) of surface. Exercise maximum control of insect crawling insects, spray thoroughly into all cracks, moldings, crevices, walls, floors, and other hiding places, wall hangings and landing areas. Contact application should be paid to areas where moisture collects, such as drains, sink and water pipes, and around the bases of heavy machinery and equipment, contacting as many insects as possible.

Note: Insected stored food products should be removed and destroyed or fumigated using an approved product intended for this purpose.

##### For use in Tunnel Protection:

To control accessible stages of listed insects: Close and seal all back, brooms, ship holds, and other listed tunnel equipment before loading. Dilute 2 fluid ounces of concentrate in 1 gallon of suitable diluent, mix well, and apply as a contact wetting spray using approximately 1 gallon of spray mixture per 1,000 square feet (40 million) of surface. Thoroughly treat walls and floors. Strongly advise that containers lightly as directed. To control Indian Meal Moths and Argemone Grain Moths in stored grain, fill the surface of binned grain at a rate of 1 gallon of diluted product per 1,000 square foot (40 million). Apply at monthly intervals with the first appearance of moths and continue until early fall. In case of severe infestations, break up webbing before spraying and make a second application in two weeks.

##### Dried Fruit Products (e.g. Raisins or Raisin Products):

Remove and destroy infested products. Dilute concentrate with oil at the rate of 1 part concentrate plus 29 parts oil, or 4.5 ounces per gallon (25.7 mL) and mix well. Disperse 1/2 fluid ounces of this diluted product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use 1/2 fluid ounce of concentrate per 1,000 cubic feet (0.52 million) of space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated area, and ventilate the area before re-entry. Sweep up and destroy fallen insects.

##### Stored Food (foods in Multi-Walled Bags or Cloth Bags, Other Packaging Stored in Listed Areas):

Remove and destroy infested products. Dilute concentrate with oil at the rate of 1 part concentrate plus 29 parts oil, or 4.5 ounces per gallon (25.7 mL) and mix well. Disperse 1/2 fluid ounces of this diluted product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use 1/2 fluid ounce of concentrate per 1,000 cubic feet (0.52 million) of space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated area, and ventilate the area before re-entry. Sweep up and destroy fallen insects.

Remove and destroy infested products. Dilute concentrate with oil at the rate of 1 part concentrate plus 29 parts oil, or 4.5 ounces per gallon (25.7 mL) and mix well. Disperse this product first by directing no more than 60 fluid ounces of diluted spray per 1,000 square feet into corners, under pallets, and around stacks of packaged goods hitting as many insects as possible, and then treat as a space spray. Insected stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Then treat as a space spray using 6 fluid ounces of the diluted product. Use dosage of two tenths (2/10) of a fluid ounce of concentrate per 1,000 cubic feet (1.56 million) of space. Do not remain in treated areas and ventilate area before re-entry. This application will kill accessible, exposed stages of those stored product pests listed above. Sweep up and destroy fallen insects.

##### Flies:

For indoor premises of areas only.

As a space spray diluted for use in conventional mechanical fogging equipment to kill flies, gnats, mosquitoes, and small flying moths: Dilute 1 part concentrate plus 29 parts of (refined kerosene) and mix well. Apply at a rate of 2 fluid ounces of concentrate per 1,000 cubic feet (2.08 million) of space above the animals. Direct spray toward the upper portions of the enclosure, filling the room with mist. Keep area closed for at least 15 minutes. Vacuum treated area and ventilate before re-occupancy. Repeat treatment when re-infestation occurs.

##### For Use in Federally-Inspected Meat and Poultry Plants:

For control of exposed or accessible stages of ant, earwig, fire, fruit fly, gnats, mosquitoes, silverfish, small flying moths, spiders, and waterbury: Dilute one part concentrate with 3 parts base oil (refined kerosene) and use with a LVJ spraying device at the application rate of 3 fluid ounces of diluted product per 1,000 cubic feet (1.04 million) of space. Apply no more than 6 fluid ounces of the diluted spray into all cracks and crevices in woodwork, walls, floors, underneath seats, behind pipes, and in all places where these insects harbor. Contact as many insects as possible. Repeat as necessary, but not more than once a day. Before spraying, exposed food products and packaging materials must be covered or removed. After spraying, equipment and utensils must be washed with an effective cleaning compound and rinsed with potable water prior to use. Use no space spray only when plant is not in operation.

Note: When using oil as the solvent, an infrared light petroleum hydrocarbon as defined by CFR Title 21, § 172.884 should be used for all food and food-related applications. Additionally, when diluted and used according to label directions, this spray insect specifications for use under USDA meat, poultry, shell egg grading, and egg products inspection programs.

## STORAGE AND DISPOSAL

Do not contaminate feed, food, or water by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place. Always store pesticides in the original container. Store away from food and pet food.  
**Pesticide Disposal:** Material resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office, for guidance. **Container Handling:** Reusable containers: Do not reuse or refill this container. Triple-rinse container or equivalent promptly after emptying. Triple-rinse as follows: Empty the remaining contents into application equipment or mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with appropriate spray oil and reclean. Shake for 10 seconds. Pour residue into application equipment or mix tank or store residue for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available, or reconditioning if appropriate, or puncture and dispose of a sanitary landfill, or other procedure approved by state and local authorities.

### DISCLAIMER

To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

For non-emergency (e.g., current product information), Call 1-800-621-8029

### Manufactured by:

Chem-Tech, Ltd.™

10666 Business Highway 5

Pleasanton, WA 99223 U.S.A.

SureKil® is a Registered Trademark of Neogen® Corporation.

Chem-Tech, Ltd.™ is a wholly-owned subsidiary of Neogen® Corporation. LB940-0420



Item No. 1752010

