

---

## 1. PRODUCT IDENTIFICATION

### 1.1. Product Identifiers

Product name : CimeXa™ Insecticide Dust

### 1.2. Other Means of Identification

Product synonyms : none

### 1.3. Recommended Uses/Restrictions to Use

Uses : Amorphous silica gel dust for the control of various pest species per label

Restrictions : See product label for details

### 1.4. Supplier Details

Company : Rockwell Labs Ltd  
1257 Bedford Avenue  
North Kansas City, MO 64116-4308  
USA

Telephone : 1 816-283-3167

### 1.5. Emergency Contact

Outside normal business hours

Emergency Phone # : 1 800-424-9300 (USA & Canada)  
1 703-527-3887 (Outside USA & Canada)

---

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of Substance or Mixture

none

### 2.2. GHS label elements, including precautionary statements

Pictogram(s) none

Signal word none

Hazard statement(s)  
none

Precautionary statement(s)  
None

**2.3. Other hazards which do not result in classification**

This product is very absorbent and may have a drying effect on skin and eyes.

When exceeding the OEL (Occupational Exposure Limit) a mechanical overburdening of the respiratory system is possible.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Chemical Identity	Contains (% w/w)	CAS-No.	Hazard Classification
Silicon Dioxide (as amorphous silica)	89-95	7631-86-9	none

**3.2. Mixtures**

Not applicable

---

**4. FIRST AID MEASURES**

**4.1. Description of first aid measures**

**General advice**

Consult a physician or poison control center. Provide this safety data sheet to medical personnel. Move out of hazardous areas.

**If inhaled**

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

**In case of skin contact**

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**In case of eye contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed**

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**4.2. Most important symptoms and effects, both acute and delayed**

None known

**4.3. Indication of any immediate medical attention and special treatment needed, if necessary**

None known

---

**5. FIRE FIGHTING MEASURES**

**5.1. Extinguishing media**

Suitable extinguishing media: use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2. Specific hazards arising from the chemical**

No data available

**5.3. Special protective equipment and precautions for fire fighters**

Wear self contained breathing apparatus for firefighting if deemed necessary.

Additional information: none.

**5.4. Further information**

No data available

**6. ACCIDENTAL RELEASE MEASURES**
**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with spilled product and contaminated surfaces. Evacuate personnel to safe areas during emergencies. For safe handling instructions see section 7. For proper PPE see section 8.

**6.2. Environmental precautions**

Prevent further leakage or spillage if safe to do so.

**6.3. Methods and materials for containment and cleaning up**

Sweep up any spilled material and dispose of according to instructions in section 13. Vacuuming or wet sweeping may be used to avoid dust dispersal. Wash contaminated surfaces with soap and water.

**7. HANDLING AND STORAGE**
**7.1. Precautions for safe handling**

Handle in accordance with good industrial hygiene practices. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse. For additional precautions see section 2.2.

**7.2. Conditions for safe storage, including any incompatibilities**

Store product tightly sealed in original container. Store in a dry location. Do not store where children or animals may gain access.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**8.1. Control parameters**

Components with workplace parameters

Component	CAS-No.	Value	Control parameters	Basis
Amorphous silica	7631-86-9	IDHL	3000 mg/m <sup>3</sup>	-----
		TWA	80 mg/m <sup>3</sup> /% SiO <sub>2</sub>	OSHA PEL
		TWA	6 mg/m <sup>3</sup>	NIOSH REL
		TWA	10*, 5** mg/m <sup>3</sup>	ACGIH TLV *Total dust, ** Respirable fraction

**8.2. Appropriate engineering controls**

Ensure relevant engineering controls are employed to prevent exceeding threshold values for the listed control parameters in section 8.1.

**8.3. Individual protection measures, such as personal protective equipment (PPE)**

In normal use and handling conditions refer to the product label for required PPE. In all other cases the following recommendations would apply.

**Eye/face protection**

Safety glasses or other similar eye protection conforming to ANSI Z87.1 standards recommended when handling product.

**Skin protection**

Chemical resistant nitrile rubber or similarly compatible gloves recommended when handling product. Dispose of contaminated gloves after use in accordance with applicable local and state regulations. Wash exposed skin with soap and water immediately. Wash all contaminated clothing prior to reuse.

**Respiratory protection**

Not required under normal use conditions. When risk assessment shows need for air-purifying respirators use NIOSH approved respirators when handling material with the following airborne concentrations:

Up to 30 mg/m<sup>3</sup>:

(APF = 5) Any quarter-mask respirator.

Up to 60 mg/m<sup>3</sup>:

(APF = 10) Any particulate respirator equipped with an N95, R95, or P95 filter (including N95, R95, and P95 filtering facepieces) except quarter-mask respirators. The following filters may also be used: N99, R99, P99, N100, R100, P100.

(APF = 10) Any supplied-air respirator

Up to 150 mg/m<sup>3</sup>:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with a high-efficiency particulate filter.

Up to 300 mg/m<sup>3</sup>:

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and a high-efficiency particulate filter

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 3000 mg/m<sup>3</sup>:

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode

**Thermal hazards**

None known

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

**CimeXa™ Insecticide Dust**

**Safety Data Sheet**

Release Date: 9/16/2020

Print Date: 9/16/2020

Version 1.2

Appearance;	White powder
Odor;	Odorless
Odor threshold;	No data available
pH;	2.0 – 4.5 (20 °C)
Melting point/freezing point;	>1700 °C (>3092 °F)
Initial boiling point and boiling range;	>1700 °C (>3092 °F)
Flash point;	No data available
Evaporation rate;	No data available
Flammability (solid, gas);	Product is not flammable
Upper/lower flammability or explosive limits;	No data available
Vapor pressure;	No data available
Vapor density;	No data available
Relative density;	0.24 g/ml
Solubility;	Insoluble
Partition coefficient: n-octanol/water;	No data available
Auto-ignition temperature;	No data available
Decomposition temperature;	No data available
Viscosity;	No data available

**9.2. Additional Information**

No data available

---

**10. STABILITY AND REACTIVITY**

**10.1. Reactivity**

No dangerous reactions known.

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

Other decomposition products – no data available

In the event of a fire: see Section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute Toxicity

LD50 Oral – Rat – > 5000 mg/kg

LD50 Dermal – Rat – > 6000 mg/kg

LD50 Inhalation – Rat – > 2000 mg/m<sup>3</sup>/4h

Maximum attainable concentration, mortality does not appear.

#### Skin corrosion/irritation

Skin – Rabbit

Results: not an irritant

(OECD Test Guideline 404)

#### Serious eye damage/irritation

Eye – Rabbit

Results: not an irritant

(OECD Test Guideline 405)

#### Respiratory or skin sensitization

Not a known sensitizer

#### Germ cell mutagenicity

AMES Test – > 5 mg/plate (in vitro)

Results: negative, with and without metabolic activation

(OECD Test Guideline 471)

#### Carcinogenicity

IARC: Category for silica, amorphous (7631-86-9) applies to silicas that may contain crystalline silica.

The silica in this product is synthetic and does not contain crystalline silica. IARC: Category 3.

ACGIH: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

#### Repeated Dose Toxicity

Oral – NOAEL (90 d) – Rat

Results: 9000 mg/kg bw/day

(OECD Test guideline 408)

Inhalative – NOAEC (90 d) – Rat

Results: 1 mg/m<sup>3</sup> (rat)

(OECD Test Guideline 413)

#### Reproductive toxicity

Oral – NOAEL (maternal toxicity/teratogenicity) – Rat

Results: 1350 mg/kg bw/day

(OECD Test Guideline 414)

**Specific target organ toxicity – single exposure**

No data available

**Specific target organ toxicity – repeated exposure**

No data available

**Aspiration hazard**

No data available

#### 11.2. Other information

No data available

---

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Toxicity to fish

LC50 – Danio rerio (Zebra Fish) - > 10,000 mg/l – 96 h

Toxicity to daphnia

EC50 – Daphnia magna (Water flea) - > 1000 mg/l – 24 h

and other aquatic

EC50 – Scenedesmus subspicatus (Algae) - > 10000 mg/l – 72 h

invertebrates

### 12.2. Persistence and degradability

Amorphous silica dioxide is chemically and biologically inert. By the insolubility in water there is a separation at every filtration and sedimentation process.

### 12.3. Bioaccumulative potential

Does not accumulate in organisms.

### 12.4. Mobility in soil

No data available

### 12.5. Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Disposal Methods.

The best disposal method is to use the entire quantity per label directions. If it is necessary to dispose of unused material then follow the label instructions and relevant local, state and federal waste disposal guidelines.

#### Product Disposal:

Do not contaminate water, food or feed by storage or disposal.

#### Packaging Disposal:

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

See section 8 for proper PPE and precautionary handling measures.

---

## 14. TRANSPORT INFORMATION

### **DOT**

Not dangerous goods

### **IMDG**

Not dangerous goods

### **IATA**

Not dangerous goods

---

## 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

Causes moderate eye irritation.

Avoid contact with eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **SARA 311/312 Hazards**

None

### **California Proposition 65 Components**

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or reproductive harm.

### **TSCA**

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.



## 16. OTHER INFORMATION

### Acronyms and abbreviations used

LD50	Lethal Dose, 50%
OECD	Organization for Economic Cooperation and Development
IARC	International Agency for Research on Cancer
ACGIH	American Conference of Industrial Hygienists
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
SARA	Superfund Amendments and Reauthorization Act
TSCA	Toxic Substances Control Act
CAS-No.	Chemical Abstract Services - Number
PPE	Personal Protective Equipment
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association
PPM	Parts Per Million
TWA	Time Weighted Average
IDLH	Immediately Dangerous to Life or Health
PEL	Permissible Exposure Limit
REL	Recommended Exposure Limit
TLV	Threshold Limit Value
LC50	Lethal Concentration, 50%
EC50	Effective concentration, half maximal
ANSI	American National Standards Institute
APF	Assigned Protection Factor

### Hazard Rating System Crossover

<u>HMIS Rating</u>		<u>NFPA Rating</u>	
Health Hazard:	0	Health Hazard:	0
Flammability:	0	Flammability:	0
Reactivity:	0	Reactivity:	0

### Preparation information

Prepared by:	Rockwell Labs Ltd
Version:	1.2
Revision Date:	September 16, 2020
Reason for revision:	Minor reformatting changes



CimeXa™ Insecticide Dust

## Safety Data Sheet

Release Date: 9/16/2020

Print Date: 9/16/2020

Version 1.2

Notice to Reader: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Rockwell Labs Ltd provides no warranties, express or implied, and assumes no responsibility for the accuracy and completeness of the data contained herein. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are trademarks of Rockwell Labs Ltd.